

# Endurable Power Stripper

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 05/01/2023

Revision date: n/a

Printed: 05/01/2023

Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Endurable Power Stripper

Product code : n/a

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use  
Construction stripper

Use advised against : None identified

#### 1.3. Details of the supplier of the safety data sheet

Endurable  
8351 Lucerne Loop  
Lakewood Ranch, FL  
34202  
Tel: 800-910-3120

#### 1.4. Emergency telephone number

Emergency number : 800-910-3120  
Mon - Fri 8:30- 4:30 (PST)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

Skin Corrosion/ Irritation, Category 2

Eye Damage/Irritation, Category 2A

Toxic to Reproduction, Category 1B

#### 2.2. Label elements

##### Labelling

Hazard pictograms :



Signal word : Danger

Hazard statements : Causes skin irritation  
Causes serious eye irritation  
May damage fertility or the unborn child

Precautionary statements : Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wash face and hands thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
If on skin: Wash with plenty of water  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If exposed or concerned: Get medical advice/attention  
If skin irritation occurs: Get medical advice/attention  
If eye irritation persists: get medical advice/attention  
Take off contaminated clothing and wash it before reuse  
Store locked up  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

# Endurable Power Stripper

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### 2.3. Other hazards

Other hazards which do not result in classification : Spills of this product present a serious slipping hazard.

### 2.4. Unknown acute toxicity

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product identifier	%
1-Methyl-2-pyrrolidinone	(CAS No) 872-50-4	< 20

The specific chemical component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1).

Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician

### 4.2. Most important symptoms and effects, both acute and delayed

Causes skin irritation. Causes serious eye irritation. May cause irritation to mouth, throat and stomach upon direct contact. Prolonged or repeated exposure can cause Vomiting, Diarrhoea, Abdominal pain.  
Bone marrow - Irregularities - Based on Human Evidence.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Use of water spray when fighting fire may be insufficient.
- Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : Most vapors are heavier than air. They will spread along ground and collect in low or confined areas.

# Endurable Power Stripper

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### SECTION 6: Accidental release measures

---

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Special danger of slipping by leaking/spilling product. Avoid contact with skin and eyes. Avoid breathing mist and spray. Equip cleanup crew with proper protection. Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Large spills: Dike to prevent further leakage. Use dry sand to contain the flow of chemical.  
Small spills : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect all waste in suitable and labelled containers and dispose according to local legislation. Store away from other materials. Ensure all national/local regulations are observed.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

---

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of reach of children. Keep only in the original container in a cool well-ventilated place. Keep container closed when not in use.

Incompatible materials : No additional information available

#### 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

---

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

Personal protective equipment : Handle in accordance with good industrial hygiene and safety practices. Avoid all unnecessary exposure. For certain operations, additional Personal Protection Equipment (PPE) may be required.

Hand protection : In case of repeated or prolonged contact wear gloves.

Eye protection : Wear goggles if splashing or spraying is anticipated.

Skin and body protection : In case of repeated or prolonged exposure : Personal protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

---

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear liquid

Color : Colorless

05/01/2023 EN (English)

# Endurable Power Stripper

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Odor	: Mild odor
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 205 °F (estimated)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity	: No data available
Explosive properties	: Not applicable
Oxidising properties	: Not applicable
Explosive limits	: Not applicable

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

The product is stable at normal handling and storage condition

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Protect product from freezing.

### 10.5. Incompatible materials

Oxidizing agents. Bleaching agent. Strong acids, bases.

### 10.6. Hazardous decomposition products

Thermal decomposition products: Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

1-Methyl-2-pyrrolidinone (872-50-4)	
LD50 oral rat	3,914 mg/kg
LD50 dermal rabbit	8,000 mg/kg
LD50 inhalation rat	> 5,000 mg/kg – 4h

Acute toxicity : Not classified  
(Based on available data, the classification criteria are not met)

Skin corrosion/irritation : Causes skin irritation.

# Endurable Power Stripper

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, NTP, ACGIH, or listed on OSHA's list of regulated carcinogens.)
Reproductive toxicity	: May damage fertility or the unborn child. Damage to fetus possible.
Specific target organ toxicity (single exposure)	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/injuries after eye contact	: Prolonged or repeated exposure can cause Vomiting, Diarrhoea, Abdominal pain. Bone marrow - Irregularities - Based on Human Evidence.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with applicable local, national and international regulations.

Ecology - waste materials : Avoid release to the environment.

# Endurable Power Stripper

## Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### SECTION 14: Transport information

In accordance with DOT  
Not regulated for transport

#### Additional information

Other information : No supplementary information available.

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 1-Methyl-2-pyrrolidinone (872-50-4)

Emission reporting , section 314	1.0 % de minimis concentration
----------------------------------	--------------------------------

#### 15.2. International regulations

No additional information available

#### 15.3. US State regulations



**WARNING:** This product can expose you to chemicals including N-Methylpyrrolidone, which is known to the State of California to cause Developmental harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

#### N-Methylpyrrolidone (872-50-4)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	Yes	No	No	

#### 1-Methyl-2-pyrrolidinone (872-50-4)

Massachusetts RTK New Jersey Worker and Community RTK Pennsylvania Worker and Community RTK
---

### SECTION 16: Other information

Indication of changes : Not applicable

Revision date : Not applicable

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*